

SEP 20 2005

S/N: 10/ 768,612

Docket: CS03-048

Reply to the Office action dated September 15, 2005

Page 1 of 4

FAX to: 571-273-8300 -

ATTENTION: Office of patent publication/Publishing Division

To:

MAIL STOP ISSUE FEE

Commissioner of Patents

P.O. Box 1450

Alexandria, VA 22313-1450

From:

William J. Stoffel

Reg no. 39,390

Customer no. 30,402

1735 Market St - Ste A

PMB 455

Philadelphia, PA 19103 USA

Fax 267-200-0730

Subject:

S/N: 10/ 768,612

Docket: CS03-048

Reply to the Office action dated September 15, 2005

File date: 1/30/04

Inventor: Yisuo Li

Title: **A SEMICONDUCTOR DEVICE LAYOUT AND
CHANNELING IMPLANT PROCESS**

Group Art Unit: 2812

Examiner: Lindsay Jr., Walter Lee

15 **RESPONSE TO PATENT OFFICE ACTION - NOTICE OF DRAWING
INCONSISTENCY WITH SPECIFICATION**

Dear Sir:

In response to the office action dated September 15, 2005, please consider
the following remarks:

20 **CERTIFICATE OF MAILING OR FACSIMILE TRANSMISSION**

I hereby certify that this correspondence is being:

☒ FAXED to the central facsimile number of patent and trademark office at the following
number (571) 273-8300 or

25 ☐ deposited with the United States Postal Service as first class mail in an envelope
addressed to: Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the
date below.

Signature/Date

 9/20/05

William J. Stoffel

Reg. No. 39,390

Customer number 30402

S/N: 10/ 768,612

Page 2

Docket: CS03-048

Reply to the Office action dated September 15, 2005

This response to Office Action has the following sections:

- **Amendments to the Specification** begin the next page of this paper
- **Remarks/Arguments** begin on the page following the amendments to the specification.